





















SPECIFICATION/PACKING SHEET

Design Name & Code	Specification	Quantity Per Box	Weight Per Box (Approx.)
<p>ALPINE LEDGE (AL)</p>	<p>Flat Stone</p> 	<p>9.80 sq.ft.</p>	<p>24 kgs.</p>
	<p>Corner Stone</p>  <p>Area Covered Per Running Feet 1.05 sq. ft.</p>	<p>7.48 rft.</p>	<p>24 kgs.</p>
<p>BARN WOOD (BW)</p>	<p>Flat Stone</p> 	<p>8.50 sq.ft.</p>	<p>32 kgs.</p>
	<p>Corner Stone</p>  <p>Area Covered Per Running Feet 2.78 sq. ft.</p>	<p>2.70 rft.</p>	<p>24 kgs.</p>
<p>CALIFORNIA LEDGE (CFL)</p>	<p>Flat Stone</p> 	<p>8.50 sq.ft.</p>	<p>27 kgs.</p>
	<p>Corner Stone</p>  <p>Area Covered Per Running Feet 0.90 sq. ft.</p>	<p>5.65 rft.</p>	<p>24 kgs.</p>
<p>CANYON LEDGE (CL)</p>	<p>Flat Stone</p> 	<p>7.70 sq.ft.</p>	<p>27 kgs.</p>
	<p>Corner Stone</p>  <p>Area Covered Per Running Feet 0.69 sq. ft.</p>	<p>7.08 rft.</p>	<p>26 kgs.</p>
<p>CHEQUERED CUT STONE (CS)</p>	<p>Flat Stone</p>  <p>Area Covered Per Running Feet 2.4 sq. ft.</p>	<p>9.57 sq.ft.</p>	<p>24 kgs.</p>
<p>COUNTRY LEDGE (CNL)</p>	<p>Flat Stone</p> 	<p>7.12 sq.ft.</p>	<p>28 kgs.</p>
	<p>Corner Stone</p>  <p>Area Covered Per Running Feet 1.12sq. ft.</p>	<p>4 rft.</p>	<p>24 kgs.</p>

Design Name & Code	Specification	Quantity Per Box	Weight Per Box (Approx.)
CLIFF STONE (CFS)	<p>Thickness</p> <p>Flat Stone</p>  <p>25mm-65mm</p> <p>600mm/800mm</p> <p>150mm/200mm</p>	600mm 4.80 sq.ft.	600mm 24 kgs.
		800mm 6.45 sq.ft.	800mm 31 kgs.
EUROPEAN CASTLE (EC)	<p>Thickness</p> <p>Flat Stone</p>  <p>40mm to 45mm</p> <p>110mm to 390mm</p> <p>50mm to 245mm</p>	6.40 sq.ft.	25 kgs.
	<p>Corner Stone</p>  <p>60mm to 80mm</p> <p>200mm to 250mm</p> <p>50mm to 245mm</p> <p>Area Covered Per Running Feet 1.00 sq. ft.</p>	4.00 rft.	18 kgs.
EUROPEAN LEDGE (EL)	<p>Thickness</p> <p>Flat Stone</p>  <p>30mm to 35mm</p> <p>500mm/200mm/100mm</p> <p>200mm/100mm</p>	7.00 sq.ft.	29 kgs.
	<p>Corner Stone</p>  <p>65mm</p> <p>165mm</p> <p>100mm</p> <p>Area Covered Per Running Feet 0.75 sq. ft.</p>	7.87 rft.	30 kgs.
FIELD STONE (FS)	<p>Thickness</p> <p>Flat Stone</p>  <p>30mm to 40mm</p> <p>50mm to 300mm</p> <p>30mm to 250mm</p>	8.00 sq.ft.	25 kgs.
FRENCH VILLA (FV)	<p>Thickness</p> <p>Flat Stone</p>  <p>30mm to 40mm</p> <p>120mm to 385mm</p> <p>35mm to 250mm</p>	6.75 sq.ft.	26 kgs.
	<p>Corner Stone</p>  <p>90mm</p> <p>240mm</p> <p>115mm/190mm/205mm</p> <p>Area Covered Per Running Feet 1.08 sq. ft.</p>	5.01 rft.	26 kgs.
GRAND CANYON (GC)	<p>Thickness</p> <p>Flat Stone</p>  <p>15mm to 20mm</p> <p>100mm to 330mm</p> <p>35mm to 95mm</p>	7.25 sq.ft.	17 kgs.
	<p>Corner Stone</p>  <p>130mm</p> <p>270mm to 325mm</p> <p>35mm to 95mm</p> <p>Area Covered Per Running Feet 1.00 sq. ft.</p>	6.00 rft.	26 kgs.
GRIT STONE (GS)	<p>Thickness</p> <p>Flat Stone</p>  <p>25mm</p> <p>600mm</p> <p>300mm</p>	7.76 sq.ft.	32 kgs.

Design & Code	Dimensions (mm)	Area Per Box (sq.ft.)	Weight Per Box (kgs.)
IMPERIAL CASTLE (IC)	<p>Flat Stone</p> <p>Thickness: 20mm to 30mm Dimensions: 95 to 285mm x 95mm/185mm/280mm</p>	8.75 sq.ft.	30 kgs.
	<p>Corner Stone</p> <p>Dimensions: 95mm x 95mm/185mm/280mm</p> <p>Area Covered Per Running Feet: 1.10 sq. ft.</p>	4.36 rft.	18 kgs.
ITALIAN VILLA (IV)	<p>Flat Stone</p> <p>Thickness: 20mm to 30mm Dimensions: 150mm to 460mm x 60mm to 170mm</p>	9.15 sq.ft.	30 kgs.
	<p>Corner Stone</p> <p>Dimensions: 70mm x 50mm to 150mm</p> <p>Area Covered Per Running Feet: 0.70 sq. ft.</p>		
LAKHORI BRICKS (LB)	<p>Flat Stone</p> <p>Thickness: 20mm to 25mm Dimensions: 100mm to 200mm x 20mm to 25mm</p>	7.00 sq.ft.	28 kgs.
	<p>Corner Stone</p> <p>Dimensions: 75mm x 20mm to 25mm</p> <p>Area Covered Per Running Feet: 0.70 sq. ft.</p>	6.40 rft.	22 kgs.
MONTANA CREEK (MC)	<p>Flat Stone</p> <p>Thickness: 40mm to 45mm Dimensions: 420mm/280mm/210mm/140mm x 100mm</p>	4.95 sq.ft.	23 kgs.
	<p>Corner Stone</p> <p>Dimensions: 60mm to 70mm x 110mm to 235mm x 100mm</p> <p>Area Covered Per Running Feet: 0.80 sq. ft.</p>	4.47 rft.	23 kgs.
RUBBLE STONE (RBS)	<p>Flat Stone</p> <p>Thickness: 40 to 45mm Dimensions: 105mm to 310mm x 100mm to 260mm</p>	9.00 sq.ft.	28 kgs.
	<p>Corner Stone</p> <p>Dimensions: 60mm x 160mm x 190mm to 220mm</p> <p>Area Covered Per Running Feet: 0.70 sq. ft.</p>		
RUGGED STONE (RS)	<p>Flat Stone</p> <p>Thickness: 14mm to 17mm Dimensions: 215mm x 60mm</p>	8.32 sq.ft.	23 kgs.
	<p>Corner Stone</p> <p>Dimensions: 105mm x 215mm x 60mm</p> <p>Area Covered Per Running Feet: 1.05 sq. ft.</p>	As per order	-

Design & Code	Dimensions (mm)	Area Per Box (sq.ft.)	Weight Per Box (kgs.)
ROMAN BRICK (RB)	<p>Flat Brick</p> <p>Thickness 10mm to 15mm 220mm 65mm</p>	14.70 sq.ft.	28 kgs.
	<p>Corner Brick</p> <p>85mm 200mm 65mm</p> <p>Area Covered Per Running Feet 0.93 sq. ft.</p>	11.94 rft.	25 kgs.
ROCKY MOUNTAIN LEDGE (RL)	<p>Flat Stone</p> <p>Thickness 20mm to 40mm 500mm/300mm/200mm 95mm</p>	7.15 sq.ft.	30 kgs.
	<p>Corner Stone</p> <p>110mm 220mm 95mm</p> <p>Area Covered Per Running Feet 1.08 sq. ft.</p>	6.23 rft.	36 kgs.
SHARP CUT LEDGE (SCL)	<p>Flat Stone</p> <p>Thickness 15mm to 25mm 500mm/300mm/200mm 100mm</p>	sq.ft.	kgs.
SIERRA CUT (SC)	<p>Flat Stone</p> <p>Thickness 20mm to 30mm 300mm/150mm/75mm 150mm</p>	8.21 sq.ft.	25 kgs.
	<p>Corner Stone</p> <p>50mm 125mm 150mm</p> <p>Area Covered Per Running Feet 0.57 sq. ft.</p>	10 rft.	24 kgs.
SHARP MOUNTAIN LEDGE (SL)	<p>Flat Stone</p> <p>Thickness 25mm to 30mm 485mm/290mm/195mm 110mm</p>	8.00 sq.ft.	25 kgs.
	<p>Corner Stone</p> <p>130mm 270mm 110mm</p> <p>Area Covered Per Running Feet 1.31 sq. ft.</p>	5.05 rft.	23 kgs.
TERRA BRICK (TB)	<p>Flat Brick</p> <p>Thickness 15mm to 20mm 290mm 65mm</p>	12.40 sq.ft.	23 kgs.
	<p>Corner Brick</p> <p>80mm 175mm 65mm</p> <p>Area Covered Per Running Feet 0.84 sq. ft.</p>	As per order	-
URBAN BRICK (UB)	<p>Flat Stone</p> <p>Thickness 10mm to 15mm 250mm 65mm</p>	14.30 sq.ft.	28 kgs.