

STONEwiz®


Architectural Cladding. Elegant Living

Manufactured Architectural Stone Cladding

ROMAN BRICK

✉ contactus@stonewiz.in

🌐 www.stonewiz.in



ROMAN BRICK-CASABLANCA



ROMAN BRICK-MERLOT



ROMAN BRICK-POLAR WHITE



ROMAN BRICK-BLACK FOREST



ROMAN BRICK-AUTUMN




ROMAN BRICK-MOROCCAN SAND




ROMAN BRICK-ARCTIC WHITE




ROMAN BRICK-BROOKLYN



ROMAN BRICK-CASABLANCA



ROMAN BRICK-MERLOT





ROMAN BRICK-MERLOT

ROMAN BRICK-MERLOT







ROMAN BRICK-MERLOT




ROMAN BRICK-MERLOT




ROMAN BRICK-POLAR WHITE



ROMAN BRICK-BLACK FOREST




ROMAN BRICK-AUTUMN



ROMAN BRICK-MOROCCAN SAND




ROMAN BRICK-ARCTIC WHITE



ROMAN BRICK-ARCTIC WHITE





ROMAN BRICK-ARCTIC WHITE







ROMAN BRICK-ARCTIC WHITE



ROMAN BRICK-BROOKLYN

SPECIFICATION (ROMAN BRICK)

Flat Stone		Corner Stone		Thickness
 Weight of stone: 2 kg per sq. ft (Approx.)		 Area covered per running feet= 0.93 sq. ft.		 10mm to 15mm
Area Per Box (sq.ft.)	14.70	Area Per Box (rft.)	11.94	
Weight Per Box (kgs.)	28	Weight Per Box (kgs.)	25	