



































SPECIFICATION/PACKING SHEET

Design Name & Code	Speccification	Quantity Per Box	Weight Per Box (Approx.)
ALPINE LEDGE (AL)	<p>Flat Stone</p> 	9.80 sq.ft.	24 kgs.
	<p>Corner Stone</p> 	7.48 rft.	24 kgs.
BARN WOOD (BW)	<p>Flat Stone</p> 	8.50 sq.ft.	32 kgs.
	<p>Corner Stone</p> 	2.70 rft.	24 kgs.
CALIFORNIA LEDGE (CFL)	<p>Flat Stone</p> 	8.50 sq.ft.	27 kgs.
	<p>Corner Stone</p> 	5.65 rft.	24 kgs.
CANYON LEDGE (CL)	<p>Flat Stone</p> 	7.70 sq.ft.	27 kgs.
	<p>Corner Stone</p> 	7.08 rft.	26 kgs.
CHEQUERED CUT STONE (CS)	<p>Flat Stone</p> 	9.57 sq.ft.	24 kgs.
COUNTRY LEDGE (CNL)	<p>Flat Stone</p> 	7.12 sq.ft.	25 kgs.
	<p>Corner Stone</p> 	4 rft.	24 kgs.

Design Name & Code	Speccification	Quantity Per Box	Weight Per Box (Approx.)
CLIFF STONE (CFS)	<p>Thickness Flat Stone 25mm-65mm</p> 	150mm 4.80 sq.ft.	150mm 24 kgs.
		200mm 6.45 sq.ft.	200mm 31 kgs.
CITADEL (CD)	<p>Thickness Flat Stone 20 mm to 50 mm</p> 	5.33 sq.ft.	22 kgs.
EUROPEAN CASTLE (EC)	<p>Thickness Flat Stone 40mm to 45mm</p> 	6.40 sq.ft.	25 kgs.
	<p>Corner Stone 60mm to 80mm 200mm to 250mm 50mm to 245mm Area Covered Per Running Feet 1.00 sq. ft.</p> 	4.00 rft.	18 kgs.
EUROPEAN LEDGE (EL)	<p>Thickness Flat Stone 30mm to 35mm</p> 	7.00 sq.ft.	29 kgs.
	<p>Corner Stone 65mm 165mm 100mm Area Covered Per Running Feet 0.75 sq. ft.</p> 	7.87 rft.	30 kgs.
FIELD STONE (FS)	<p>Thickness Flat Stone 30mm to 40mm</p> 	8.00 sq.ft.	25 kgs.
	<p>Corner Stone 75mm-85mm 95mm-120mm 140mm-185 mm Area Covered Per Running Feet 0.58 sq. ft.</p> 	9.00 rft.	26 kgs.
FRENCH VILLA (FV)	<p>Thickness Flat Stone 30mm to 40mm</p> 	6.75 sq.ft.	26 kgs.
	<p>Corner Stone 90mm 240mm 115mm/190mm/205mm Area Covered Per Running Feet 1.08 sq. ft.</p> 	5.01 rft.	26 kgs.
GRAND CANYON (GC)	<p>Thickness Flat Stone 15mm to 20mm</p> 	7.25 sq.ft.	17 kgs.
	<p>Corner Stone 130mm 270mm to 325mm 35mm to 95mm Area Covered Per Running Feet 1.00 sq. ft.</p> 	6.00 rft.	26 kgs.

Design & Code	Dimensions (mm)	Area Per Box (sq.ft.)	Weight Per Box (kgs.)
GRIT STONE (GS)	<p>Flat Stone</p>  <p>Thickness 25mm</p> <p>600mm</p> <p>300mm</p>	7.76 sq.ft.	32 kgs.
IMPERIAL CASTLE (IC)	<p>Flat Stone</p>  <p>Thickness 20mm to 30mm</p> <p>95mm/190mm/285mm</p> <p>95mm/190mm/285mm</p>	8.75 sq.ft.	30 kgs.
	<p>Corner Stone</p>  <p>95mm/190mm/285mm</p> <p>95mm</p> <p>190mm/285mm</p> <p>Area Covered Per Running Feet 1.10 sq. ft.</p>	4.36 rft.	18 kgs.
ITALIAN VILLA (IV)	<p>Flat Stone</p>  <p>Thickness 20mm to 30mm</p> <p>150mm to 460mm</p> <p>60mm to 170mm</p>	9.15 sq.ft.	30 kgs.
	<p>Corner Stone</p>  <p>45mm to 160mm</p> <p>145mm to 160mm</p> <p>65mm-105mm</p> <p>Area Covered Per Running Feet 0.80 sq. ft.</p>	6.60 rft.	27 kgs.
LAKHORI BRICKS (LB)	<p>Flat Stone</p>  <p>Thickness 25mm to 35mm</p> <p>100mm to 200mm</p> <p>20mm to 25mm</p>	7.00 sq.ft.	28 kgs.
	<p>Corner Stone</p>  <p>20mm to 25mm</p> <p>100mm to 150mm</p> <p>55mm-75mm</p> <p>Area Covered Per Running Feet 0.60 sq. ft.</p>	6.40 rft.	22 kgs.
MONTANA CREEK (MC)	<p>Flat Stone</p>  <p>Thickness 40mm to 45mm</p> <p>420mm/280mm/210mm/140mm</p> <p>100mm</p>	4.95 sq.ft.	23 kgs.
	<p>Corner Stone</p>  <p>100mm</p> <p>110mm to 235mm</p> <p>60mm to 70mm</p> <p>Area Covered Per Running Feet 0.80 sq. ft.</p>	4.47 rft.	23 kgs.
RUBBLE STONE (RBS)	<p>Flat Stone</p>  <p>Thickness 20mm to 30mm</p> <p>105mm to 310mm</p> <p>100mm to 260mm</p>	9.00 sqft.	28 kgs.
	<p>Corner Stone</p>  <p>170mm to 220mm</p> <p>160mm</p> <p>70mm</p> <p>Area Covered Per Running Feet 0.75 sq. ft.</p>	6.00 rft.	24 kgs.
RUGGED STONE (RS)	<p>Flat Stone</p>  <p>Thickness 20mm to 25mm</p> <p>215mm</p> <p>60mm</p>	8.32 sq.ft.	23 kgs.
	<p>Corner Stone</p>  <p>60mm</p> <p>215mm</p> <p>105mm</p> <p>Area Covered Per Running Feet 1.05 sq. ft.</p>	5.90 rft.	21 kgs.

Design & Code	Dimensions (mm)	Area Per Box (sq.ft.)	Weight Per Box (kgs.)
ROMAN BRICK (RB)	Flat Brick 	14.70 sq.ft.	28 kgs.
	Corner Brick 	11.94 rft.	25 kgs.
ROCKY MOUNTAIN LEDGE (RL)	Flat Stone 	7.15 sq.ft.	30 kgs.
	Corner Stone 	6.23 rft.	36 kgs.
SHARP CUT LEDGE (SCL)	Flat Stone 	9.15 sq.ft.	28 kgs.
SIERRA CUT (SC)	Flat Stone 	8.21 sq.ft.	25 kgs.
	Corner Stone 	10 rft.	24 kgs.
SHARP MOUNTAIN LEDGE (SL)	Flat Stone 	8.00 sq.ft.	25 kgs.
	Corner Stone 	5.05 rft.	23 kgs.
TERRA BRICK (TB)	Flat Brick 	12.40 sq.ft.	23 kgs.
	Corner Brick 	As per order	
URBANE BRICK (UB)	Flat Stone 	14.30 sq.ft.	28 kgs.